



WOLFENSBERGER

TECHNOLOGY SOLUTIONS

Material Extra Charge MEC for orders from September 1, 2023 (subject to change without prior notice)

| Material | Material No. | MEC CHF | MEC EUR |
|----------|--------------|---------|---------|
|----------|--------------|---------|---------|

Low alloy cast steel (DIN 1681, DIN 17182)

| | | | |
|-----------|--------|------|------|
| GE300 | 1.0558 | 1.09 | 1.14 |
| G20Mn5 | 1.6220 | 1.09 | 1.14 |
| G15CrNi 6 | 1.5919 | 1.39 | 1.45 |

Cast steel for heat treatment (DIN 17205, VDI 3388)

| | | | |
|-------------|--------|------|------|
| G26CrMo4 | 1.7221 | 1.22 | 1.27 |
| G42CrMo4 | 1.7231 | 1.22 | 1.27 |
| G30CrMoV6-4 | 1.7725 | 1.30 | 1.36 |

High temperature-resistant cast steel (EN 10213-2)

| | | | |
|---------------|--------|------|------|
| G17CrMoV5-10 | 1.7706 | 1.45 | 1.51 |
| GX23CrMoV12-1 | 1.4931 | 2.00 | 2.09 |

Corrosion-resistant cast steel (EN 10283, DIN 17445, SEW 410)

| | | | |
|----------------------|---------|------|------|
| GX 46Cr 13 | 1.4034 | 1.40 | 1.46 |
| GX4CrNi13-4 | 1.4317 | 2.85 | 2.97 |
| GX4CrNiMo16-5-1 | 1.4405 | 3.55 | 3.70 |
| GX4CrNi13-4 | 1.6982 | 2.85 | 2.97 |
| (G)X39CrMo17-1 | 1.4122 | 2.08 | 2.17 |
| GX5CrNiMo19-11-2 | 1.4408 | 4.44 | 4.63 |
| GX5CrNiMoNb19-11-2 | 1.4581 | 4.65 | 4.85 |
| GX2CrNiMoN25-6-3 | 1.4468 | 5.34 | 5.57 |
| GX2CrNiMoCuN25-6-3-3 | 1.4517 | 5.59 | 5.83 |
| (G)X3CrNiMoN27-5-2 | ~1.4460 | 4.75 | 4.96 |

Heat-resistant cast steel (EN 10295, SEW 410)

| | | | |
|-----------------|--------|------|------|
| GX25CrNiSi18-9 | 1.4825 | 3.56 | 3.71 |
| GX40CrNiSi22-10 | 1.4826 | 3.86 | 4.03 |

| Material | Material No. | MEC CHF | MEC EUR |
|----------|--------------|---------|---------|
|----------|--------------|---------|---------|

Wear-resistant cast iron (EN 12513)

| | | | |
|--------------------------|------------|------|------|
| ~GX150Cr25 | | 1.77 | 1.85 |
| EN-GJN-HV600(XCr14) (HC) | EN-JN3 029 | 1.98 | 2.07 |
| EN-GJN-HV600(XCr14) (LC) | EN-JN3 029 | 1.74 | 1.82 |
| GX200CrMo25-3 | | 1.86 | 1.94 |
| EN-GJN-HV600 Mo-leg. | EN-JN2 049 | 2.63 | 2.74 |
| EN-GJN-HV600 | EN-JN2 049 | 2.26 | 2.36 |

Cast iron with spheroidal graphite (DIN EN 1563/1564)

| | | | |
|------------------|------------|------|------|
| EN-GJS-400-15 | EN-JS1 030 | 0.88 | 0.92 |
| EN-GJS-400-18-LT | EN-JS1 025 | 1.25 | 1.30 |
| EN-GJS-500-7 | EN-JS1 050 | 1.43 | 1.49 |

Austenitic cast iron (DIN 1694, EN 13835)

| | | | |
|--------------------|--------|------|------|
| EN-GJSA-XNiCr20-2 | 5.3500 | 5.66 | 5.91 |
| EN-GJSA-XNi35 | 5.3504 | 8.90 | 9.29 |
| EN-GJSA-XNiMn 13-7 | 5.3506 | 3.89 | 4.06 |

Special alloys

| | | | |
|------------|--------------|-------|-------|
| ~G-NiCr18W | Nicrocast 73 | 15.38 | 16.05 |
|------------|--------------|-------|-------|

Other materials by agreement